



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number

NOTICE OF APPEAL FROM THE EXAMINER TO THE  
BOARD OF PATENT APPEALS AND INTERFERENCES

Docket Number (Optional)

H6808.0004/P004

In re Application of  
Atsushi Takane, et al.Application Number  
10/082,286-Conf. #5346 Filed February 26, 2002  
For SEMICONDUCTOR INSPECTION SYSTEMArt Unit  
2881 Examiner  
P. Johnston

Applicant hereby appeals to the Board of Patent Appeals and Interferences from the last decision of the examiner.

The fee for this Notice of Appeal is (37 CFR 1.17(b))

\$ 330.00

 Applicant claims small entity status. See 37 CFR 1.27. Therefore, the fee shown above is reduced by half, and the resulting fee is:

\$ \_\_\_\_\_

 A check in the amount of the fee is enclosed. Payment by credit card. Form PTO-2038 is attached. The Director has already been authorized to charge fees in this application to a Deposit Account. I have enclosed a duplicate copy of this sheet. The Director is hereby authorized to charge any fees which may be required, or credit any overpayment to Deposit Account No. 04-1073. I have enclosed a duplicate copy of this sheet. A petition for an extension of time under 37 CFR 1.136(a) (PTO/SB/22) is enclosed.

I am the

 applicant /inventor  
 assignee of record of the entire interest.  
See 37 CFR 3.71. Statement under 37 CFR 3.73(b)  
is enclosed. (Form PTO/SB/96) attorney or agent of record.

Registration number \_\_\_\_\_

 attorney or agent acting under 37 CFR 1.34(a).

Registration number if acting under 37 CFR 1.34(a). 33,082

Signature

Mark J. Thronson  
Typed or printed name

(202) 775-4742

Telephone number

October 8, 2003

Date

NOTE: Signatures of all the inventors or assignees of record of the entire interest or their representative(s) are required.  
Submit multiple forms if more than one signature is required, see below. \*Total of 1 forms are submitted.

10/09/2003 SSITHIB1 00000057 10082286

01 FC:1401

330.00 0P